

SUMMARY OF 2003-2004 ILLINOIS DEER SEASON



Forest Wildlife Information Series #01-02

September 2004


Introduction



Illinois deer hunters harvested 168,762 whitetails during 2003, surpassing the previous year's harvest of 159,550 by 6%. With an increase in permit availability, the muzzleloader season saw the largest gain in harvest, increasing nearly 135%. The firearm and archery season showed a 1% and 12% increase, respectively, and there was a significant decrease of 22% in the handgun season harvest. This was

due in part to regulatory changes allowing the use of handguns during the regular firearm season. A breakdown of deer harvest by season is provided in Figure 1.

Figure 1. 2003 Illinois deer harvest by season



Chronic Wasting Disease in Illinois

Prior to the 2003-2004 firearm deer season, 14 CWD-positive deer in two distinct locales were identified by various surveillance methods. The primary area of infection (12 positive animals) was located along the Boone-Winnebago county line northeast of Rockford, while the other infected area (2 positives) was southeast of Woodstock in McHenry County.

During the firearm season, 36 counties were surveyed for CWD, with sampling intensity dependent upon the risk category assigned to each county. A total of 4,439 usable samples were collected, with 17 CWD-positive individuals identified from four counties (Boone [9], DeKalb [3], McHenry [1], and Winnebago [4]). Six additional CWD-positive deer were identified by sampling of the archery harvest; two more by sampling of suspect (sick) animals; and 26 through testing of deer taken by sharpshooters. In all, 51 deer were found to have CWD during the 2003-2004 seasons, and a total of 65 deer have been infected since the disease appeared in the state.

Season Results

<u>Firearm:</u> The 7-day 2003 firearm deer season consisted of one 3-day segment (Friday - Sunday, Nov. 21 - 23) and a second 4-day segment (Thursday - Sunday, Dec. 4 - 7). Statewide corn harvest was more than 95% complete by the onset of firearm season.


IDNR's Permit Office issued 284,876 county-specific firearm deer permits, resulting in 104,271 deer harvested in the 98 counties open to firearm deer hunting. An additional 3,854 permits (excluding standby permits issued at the sites) were issued for special hunt areas (public lands), with a harvest of 1,602 deer. In comparison, 102,823 deer were harvested using 277,701 county permits in 2002, and special hunt areas accounted for 1,665 deer with 4,037 permits. Hunters with muzzleloading-only permits took 1,417 deer during the second weekend of the 2003 regular firearm deer season. Table 1 presents the number of permits issued and resulting harvest on a statewide basis. Average permit success rates during 2003 decreased by 2 percentage points from 37% to 35% compared to 2002, with the success rate for a full-season either-sex permit dropping to 39%. Daily harvest rates were slightly higher on the first day of the season than the previous year, but dropped significantly (by nearly 5,000) on the third day of the season (Figure 2). Harvest rates remained slightly higher for the remainder of the season.

Table 1. Firearm deer harvest by permit type during 2002

| Permit Type ⁽¹⁾ | Permits Issued | Deer <u>Harvested</u> | Permit Success | % of <u>Harvest</u> |
|-------------------------------|-------------------|--------------------------|--------------------|------------------------|
| E-S/ Full | 145,262 | 56,915 | 39% | 54% |
| E-S/1st | 410 | 108 | 26% | <1% |
| E-S/2nd | 10,319 | 2,506 | 24% | 2% |
| A-O/Full | 49,102 | 22,334 | 45% | 21% |
| A-O/1st | 558 | 114 | 20% | <1% |
| A-O/2nd | 946 | 266 | 28% | <1% |
| E-S/Free L-T | 40,319 | 10,107 | 25% | 9% |
| A-O/Free L-T | 40,319 | 10,715 | 27% | 10% |
| E-S/Paid L-T | 6 | 0 | 0% | <1% |
| NRL/E-S | 890 | 332 | 37% | <1% |
| NRL/A-O | 599 | 203 | 34% | <1% |
| E-S/Muzzle ⁽²⁾ | 14,498 | 1,160 | N/A | 1% |
| A-O/Muzzle ⁽²⁾ | 1,689 | 257 | N/A | <1% |
| Other (3) | <u>N/A</u> | <u>856</u> | N/A | <1% |
| Total | 304,917 | 105,873 | 35% ⁽⁴⁾ | 100% |

- E-S represents either-sex permits and A-O represents antlerlessonly permits. L-T represents landowner-tenant permits.
- (2) Represents permits issued for the muzzleloading-only season that could be used during the second regular firearm season.
- (3) Represents deer tagged with site-specific standby permits or unidentified/incorrectly used permit types.
- (4) Total does not include muzzleloading or "Other" data.

Figure 2. Daily harvest during the firearm deer seasons - 2002 - 2003



Weather conditions were somewhat variable across the state during the firearm season. Temperatures were generally warm for the first three days of the season, with mean temperatures in the upper 50s and lower 60s in the central and southern regions, with highs in the southern part of the state reaching near 70. Northern temperatures for the first three days remained in the lower 50s. Temperatures dropped significantly for the second firearm season, with average temperatures in the upper 30s and lower 40s for the central and southern portions, and in the mid 30s in the north. Traces of precipitation were recorded on the second day of the second season in the northern and central regions.

The statewide 2003 firearm harvest is summarized by age and sex in Table 2. *Note:* age or sex data were lacking for 7,593 deer. Concern for traffic safety was the primary reason information was not collected for these deer (i.e., when hunter traffic backed up on major roadways at check stations, checkers only tagged deer and collected hunter permits, but did not age deer). The sex composition of the 2003 firearm harvest was 42% females and 58% males.

Table 2. Sex and age composition of the 2003 firearm deer harvest*

| Age | Males | % of Males | Females | % of Females | % of Total |
|---------------|------------------------|-------------------|-------------------------------|-----------------|---------------|
| Fawn | 12.634 | 22% | 8.466 | 21% | 21% |
| 1 ½ | 18,576 | 32% | 13,593 | 34% | 33% |
| 2 ½ | 16,667 | 29% | 12,322 | 30% | 29% |
| 3 ½ | 8,175 | 14% | 4,635 | 11% | 13% |
| 4 ½+ Total | 1,817 57.869 | <u>3%</u> 100% | <u>1,391</u> 40.407 | 3% 100% | 3% 100% |
| | | | | | |

^{*}There were an additional 7,597 deer checked through the check stations with no age and/or sex recorded.

IDNR biologists annually monitor the age structure of the antlered buck harvest. This serves as an index of the mortality rate, most of which is accounted for by hunter harvest. Limiting buck mortality at acceptable levels, while controlling population levels through adequate doe harvest, ensures that mature bucks are plentiful in the population, and doe:buck ratios are low. The proportion of yearling bucks (41%) in the antlered harvest during the 2003 firearm season was the lowest in recent years. Age composition of the antlered buck harvest is reported in Table 3.

Table 3. Age structure of antlered bucks taken during the 2003 firearm season for which age data are available

| Age | Total | Percent of total* |
|--------|--------|-------------------|
| 1 ½ | 18,576 | 41% (42%) |
| 2 ½ | 16,667 | 37% (37%) |
| 3 ½ | 8,175 | 18% (18%) |
| 4 1/2+ | 1,817 | 4% (4%) |
| | 45 235 | 100% |

^{*} Figures in parentheses represent 2002 percentages.

Muzzleloading: The 2003 muzzleloader season was held December 12 - 14. Muzzleloader permit allocation increased significantly, with 14,498 either-sex and 1,689 antlerless-only permits issued. In addition, the muzzleloader harvest of 3,037 represents nearly a 135% increase from the previous year (Table 4). Hunters with muzzleloading-only permits accounted for 70% of the harvest, with the remaining 30% taken primarily by landowners with unfilled property-only permits ("free" landowner permits).

Table 4. Harvest by permit type during the 2003 muzzleloading deer season

| 440 | | | Total | Percent of |
|----------------------------|------|---------------|----------------|----------------|
| Permit type ⁽¹⁾ | Male | Female | Harvest | <u>Harvest</u> |
| E-S/Muzzle | 916 | 967 | 1890 | 62% |
| A-O/Muzzle | 43 | 202 | 245 | 8% |
| E-S/Free L-T | 239 | 185 | 425 | 14% |
| A-O/Free L-T | 74 | 324 | 398 | 13% |
| NRL/A-O | 1 | 6 | 7 | <1% |
| NRL/E-S | 4 | 7 | 11 | <1% |
| Other ⁽³⁾ | 18 | 42 | <u>61</u> | 2% |
| Totals | 1295 | 1733 | 3037 | 100% |


- E-S represents either-sex permits and A-O represents antlerless-only permits, L-T represents landowner-tenant permits.
- Totals for male and female do not include 9 deer for which sex was not identified.
- (3) Includes site-specific standby permits and improperly-used permit types

Archery: In counties closed to firearm deer hunting, the 2003-2004 archery season consisted of 107 days from October 1, 2003 through January 15, 2004, while in counties open to firearm deer hunting, the season consisted of 100 days. Resident hunters could purchase unlimited numbers of over-the-counter combination permits (each consisting of one either-sex and one antlerless-only tag), but harvest was limited to a maximum of two antlered deer during all seasons (including archery, firearm, and muzzleloader.) Archery harvest increased significantly, from 51,660 in 2002 to 57,802 in 2003 (+11%). The ratio of bucks to does in the harvest was 57:43%. Archery harvest results by county are included in Table 7.

The rate of harvest during the statewide archery season peaked in early to mid-November during the rut, with the weekend of November 8 - 9 having the highest harvest, with over 3,000 deer killed on that Saturday. The opening day of the season on October 1 had the seventh highest harvest, with over 1,500 deer taken.

Daily archery harvest for the 2003-2004 season is shown in Figure 3.

Figure 3. Daily archery harvest during 2003-2004



Restricted Archery Zone Results: Special regulations remained in place for the five central Illinois counties in the Restricted Archery Zone (Champaign, DeWitt, Macon, Moultrie, and Piatt). In this zone, only antlered deer were legal during October 1-31, with a maximum harvest of 2 deer (either-sex) per hunter during the archery season. Either-sex hunting resumed November 1 until the close of the season.

Biologists have been closely monitoring the Restricted Zone. While deer harvest has been increasing since implementation of the special regulations, so have population estimates. As a result, for the upcoming 2004 archery season, regulations have been relaxed. The 2-deer bag limit has been removed, and the period of time in which archery hunters can take only antlered deer will be reduced from the original period (October 1 - 31) to October 1 - 15. A comparison of archery harvest in the Restricted Zone counties during the past 5 years is presented in Table 5.

Table 5. Results of regulations (enacted in 1999) in the 5-County Restricted Archery Zone, 2003

| County Champaigr DeWitt Macon Moultie Piatt | 1998 274 215 290 159 177 | 1999 161 163 223 104 122 | 2000 188 172 200 120 104 | 2001 229 201 255 130 97 | 2002 211 254 261 155 123 | 2003 237 293 296 167 134 |
|--|---|---|---|--|---|---|
| Total | 1,115 | 773 | 784 | 912 | 1004 | 1,127 |
| Rest of State | 35,213 | 40,573 | 42,116 | 46,947 | 50,656 | 56,675 |

Handgun: A special handgun hunting season (January 16-18, 2004) was held in 26 counties as authorized by 520 ILCS 5/2.25. A total of 10,632 antlerless-only permits was issued through a randomized lottery drawing. Hunter success averaged 16%, with a harvest of 1,667 deer (Table 6).

Table 6. Handgun harvest results by county - January 2004

| | Permits | Total | Hunter | Antlerless | 3 |
|------------|------------|----------------|-----------|----------------------|---------------|
| County | Issued | <u>Harvest</u> | Success | Males ⁽¹⁾ | <u>Female</u> |
| Adams | 544 | 63 | 12% | 15 | 48 |
| Brown | 379 | 76 | 20% | 24 | 52 |
| Calhoun | 306 | 59 | 19% | 16 | 43 |
| Clark | 259 | 34 | 13% | 11 | 23 |
| Crawford | 226 | 41 | 18% | 8 | 33 |
| Fayette | 625 | 72 | 11% | 22 | 50 |
| Fulton | 503 | 55 | 11% | 17 | 37 |
| Greene | 298 | 47 | 16% | 15 | 30 |
| Jasper | 377 | 56 | 15% | 18 | 38 |
| Jefferson | 663 | 114 | 17% | 34 | 80 |
| JoDaviess | 737 | 106 | 14% | 26 | 79 |
| Lawrence | 119 | 20 | 17% | 5 | 15 |
| Macoupin | 456 | 42 | 9% | 6 | 35 |
| McLean | 259 | 25 | 10% | 6 | 19 |
| Morgan | 236 | 36 | 15% | 13 | 23 |
| Ogle | 380 | 43 | 11% | 10 | 33 |
| Perry | 508 | 89 | 17% | 30 | 57 |
| Pike | 895 | 254 | 28% | 49 | 200 |
| Randolph | 523 | 73 | 14% | 14 | 57 |
| Richland | 181 | 40 | 22% | 10 | 30 |
| Schuyler | 369 | 62 | 17% | 9 | 53 |
| St. Clair | 323 | 27 | 8% | 8 | 19 |
| Wayne | 566 | 128 | 23% | 23 | 104 |
| White | 206 | 52 | 25% | 9 | 43 |
| Whiteside | 149 | 21 | 14% | 5 | 16 |
| Williamson | <u>545</u> | <u>32</u> | <u>6%</u> | 9 | 23 |
| Total | 10,632 | 1667 | 16% | 412 | 1240 |

 Totals for male and female do not include 13 for which sex was not identified.

Recent Harvest Trends

Recent trends in the Illinois whitetail harvest have shown a steady increase over the past four years, culminating with record harvests for the 2003 season. While the firearm harvests held steady for several years following the then-record 1995 season, this past years' harvest surpassed that of the previous record. In addition, the archery season also set a new harvest record, surpassing the previous one set in 2002. This continues the pattern of steady annual gains for Illinois bowhunters.

Figure 4. Recent trends in Illinois deer harvest




Table 7. Firearm and archery harvest by county, 2003-2004 season

Livingston Logan

Macon

Lee

2137

1423

967

695

840

534

413

264

589

292 254

296

| County | Firearm Permits | Firearm Harvest | Archery Harvest | County | Firearm Permits | Firearm Harvest | Archery Harvest |
|---------------------|--------------------|--------------------|--------------------|-----------------------|----------------------------------|-------------------------------|--------------------|
| Adams | 7810 | 2802 | 1015 | Macoupin | 6294 | 2111 | 976 |
| Alexander | 1208 | 358 | 167 | Madison | 3605 | 1068 | 1006 |
| Bond | 2865 | 950 | 398 | Marion | 4780 | 1922 | 1155 |
| Boone | 1167 | 301 | 215 | Marshall | 1686 | 724 | 297 |
| Brown | 4160 | 1368 | 801 | Mason | 1512 | 585 | 504 |
| Bureau | 3351 | 1526 | 736 | Massac | 1872 | 619 | 353 |
| Calhoun | 4137 | 1553 | 1043 | McDonough | 2450 | 975 | 460 |
| Carroll | 3068 | 1137 | 455 | McHenry | 2712 | 621 | 646 |
| Cass | 2287 | 865 | 565 | McLean | 2207 | 737 | 568 |
| Champaign | 656 | 270 | 237 | Menard | 1531 | 588 | 390 |
| Christian | 1884 | 610 | 401 | Mercer | 2524 | 989 | 149 |
| Clark | 3038 | 1238 | 529 | Monroe | 3022 | 1070 | 326 |
| Clay | 3427 | 1403 | 624 | Montgomery | 3814 | 1337 | 616 |
| Clinton | 2673 | 933 | 460 | Morgan | 3195 | 1278 | 537 |
| Coles | 1698 | 650 | 478 | Moultrie | 481 | 182 | 167 |
| Cook | 0 | 0 | 147 | Ogle | 3695 | 1220 | 759 |
| Crawford | 2977 | 1203 | 674 | Peoria | 3976 | 1422 | 1008 |
| Cumberland | 2185 | 776 | 318 | Perry | 4339 | 1668 | 713 |
| DeKalb | 1112 | 303 | 279 | Piatt | 426 | 164 | 134 |
| DeWitt | 867 | 341 | 293 | Pike | 9037 | 3686 | 3219 |
| Douglas | 606 | 185 | 186 | Pope | 6575 | 2047 | 808 |
| DuPage | 0 | 0 | 113 | Pulaski | 1916 | 716 | 309 |
| Edgar | 1715 | 681 | 332 | Putnam | 1142 | 523 | 235 |
| Edwards | 1533 | 649 | 199 | Randolph | 6071 | 2347 | 910 |
| Effingham | 2980 | 1008 | 463 | Richland | 2320 | 961 | 446 |
| Fayette | 5701 | 2164 | 749 | Rock Island | 2396 | 884 | 485 |
| Ford | 397 | 140 | 73 | Saline | 2418 | 845 | 481 |
| Franklin | 3260 | 1133 | 876 | Sangamon | 2510 | 809 | 725 |
| Fulton | 6975 | 2444 | 1370 | Schuyler | 4732 | 1643 | 613 |
| Gallatin | 1770 | 650 | 261 | Scott | 1539 | 673 | 260 |
| Greene | 3963 | 1737 | 695 | Shelby | 3564 | 1132 | 706 |
| Grundy | 1154 | 446 | 363 | St.Clair | 3464 | 1132 | 762 |
| Hamilton | 3239 | 1398 | 553 | Stark | 640 | 299 | 149 |
| Hancock | 4719 | 2049 | 669 | Stephenson | 2879 | 1096 | 457 |
| Hardin | 2679 | 965 | 337 | Tazewell | 2343 | 723 | 694 |
| Henderson | 1889 | 795 | 281 | Union | 5427 | 1708 | 623 |
| Henry | 2160 | 831 | 471 | Vermilion | 2331 | 747 | 1039 |
| Iroquois | 1840 | 684 | 444 | Wabash | 901 | 383 | 255 |
| Jackson | 7282 | 2204 | 796 | Warren | 1497 | 639 | 274 |
| Jasper | 2942 | 1172 | 592 | Washington | 3851 | 1529 | 516 |
| Jefferson | 5251 | 2238 | 1510 | Wayne | 3990 | 1764 | 843 |
| Jersey | 3080 | 1060 | 631 | White | 2525 | 1126 | 645 |
| JoDaviess | 6658 | 2356 | 635 | Whiteside | 2274 | 839 | 442 |
| Johnson | 5462 | 1675 | 524 | Will | 1163 | 272 | 934 |
| Kane | 0 | 0 | 491 | Williamson | 5217 | 1735 | 645 |
| Kankakee | 963 | 199 | 260 | | 2323 | 593 | 547 |
| Kankakee Kendall | 903 470 | 132 | 202 | Winnebago Woodford | 2323 <u>2318</u> | 943 | 547 556 |
| Kendali Knox | 3724 | 1485 | 810 | Totals ¹ | | | |
| | | | | iotais | 284,876 | 104,271 | 57,802 |
| Lake | 0 2297 | 0 1264 | 582 | 1 Firearm tot | ale do not inc | oluda normita issu | ed for or door |
| LaSalle | 3387 | 1264 | 1223 | i ii caiiii tot | ais do not ind n, special hun | clude permits issu t areas | ieu ioi, oi deel |
| Lawrence | 1801 | 815 | 503 | naivesieu C | ni, special nun | t ai cas . | |

er harvested on, special hunt areas.