




State of Illinois
Department of Natural Resources



Digest of Waterfowl Hunting Regulations *2016-2017*

**Illinois Best of Show
National Fourth Place Winner
2016 Federal Junior Duck Stamp Contest**



King Eider

by Justas Varpucanskis



Illinois
Department of
**Natural
Resources**



TABLE OF CONTENTS

Message from Director	1
Overview and Outlook	2
HIP Registration	1, 4
Licenses, Stamps and HIP	4
Ducks & Early Canada Geese	5
Youth Waterfowl Hunting Days	5
Geese	6
Conservation Order Light Goose Seasons	7
Don't Shoot A Swan	7
Firearm Safety	7
Waterfowl Bands	8
Wetland Management For Waterfowl	8
Waterfowl Hunting Zones and Zone Maps	9-11
Tom Roster's Non-Toxic Shot Lethality Table	12
Summary of State and Federal Regulations	13-15
State and Federal Waterfowl Baiting Regulations	15-19
Avian Influenza News	19
Sunrise and Sunset Times by Region	20-Inside Back Cover
Target Illinois Poachers	Back Cover
Contact a local Conservation Police Officer	Back Cover

NEW REGULATIONS FOR 2016-2017

New Regulations are shaded.

Change to federal regulation setting process	2
Age for Youth Hunting Licenses increased to 18	4
Hunters age 17 and under may participate in youth hunting weekends	4, 5
Avian Influenza News	19

On the cover: King eider by Justas Varpucanskis, age 18, of Mokena, Illinois.

MESSAGE FROM ILLINOIS DNR DIRECTOR WAYNE ROSENTHAL



Thank you for reviewing the 2016-17 edition of the *Digest of Waterfowl Hunting Regulations*. The digest includes information on Illinois waterfowl season dates, hunting hours, bag limits, federal regulations and other facts.

Beginning with this 2016-17 waterfowl season, the process used by the U.S. Fish and Wildlife Service to set annual season lengths and bag limits has changed slightly. Starting this year and continuing into the future, the previous year's information on waterfowl breeding populations and habitat conditions will be used to set season length and bag limits. This change should allow states to announce waterfowl season dates sooner, and produce waterfowl regulations booklets in time for season opening dates. More information about the change in process

and status of waterfowl populations can be found on page 2 and here: <https://www.fws.gov/birds/index.php>. Preliminary indications suggest variable wetland conditions across much of the primary waterfowl breeding areas. Habitat trends can have substantial impacts on waterfowl populations and should remind us of the importance of continent-wide habitat conservation in providing for waterfowl.

The 2016-17 waterfowl season also marks the first year of a new 5-year period of stabilized zone lines and season dates in Illinois. The process of setting season dates and zone line boundaries is always challenging as some hunters are satisfied with existing zone lines and season dates, while others would like to see substantial changes. While we will never completely satisfy all hunters, the zone lines and season dates we have implemented represent a reasonable compromise among diverse hunter opinions and should offer suitable opportunity for most hunters.

Last year much of Illinois experienced above average precipitation and many rivers and streams remained above flood stage for much of the growing season. Conditions this year have been variable across the state. Some areas started wet, but have since become drier, which can facilitate waterfowl management practices. Other areas have continued to receive substantial rainfall which has hindered management efforts. Spotty habitat conditions seem to be a recurring theme with unpredictable spring and summer weather patterns. In some areas, these conditions may challenge hunters trying to attract and bag migrating ducks and geese this year. If habitat conditions are poor where you normally hunt, consider exploring different waterfowl areas in other parts of the state. Generous season lengths and abundant waterfowl populations provide great opportunity to experience memorable hunts and enjoyable time outdoors.

Thank you for supporting our waterfowl conservation and hunting programs.

A handwritten signature in red ink that reads "Wayne Rosenthal".

Wayne Rosenthal
Director
Illinois Department of Natural Resources

HARVEST INFORMATION PROGRAM

Harvest Information Program (HIP) – Required. This important program is designed to produce more accurate federal harvest estimates which will ultimately improve our ability to maximize hunting opportunity without detriment to the waterfowl resource. You can help preserve your sport by registering with HIP at the license vendor when you purchase your hunting license and state duck stamp. Remember, registration is **MANDATORY**, not optional.

CHANGES TO THE FEDERAL REGULATIONS SETTING PROCESS

The process used to set migratory bird hunting seasons changed recently. Beginning with the 2016-17 hunting season, waterfowl population estimates and other biological data from the previous year along with long-term trends and harvest strategies will provide the basis for setting harvest limits and season lengths. Waterfowl hunting seasons and bag limits for 2016-17 were proposed by the U.S. Fish and Wildlife Service (FWS) last December and finalized in March, 2016. Under the new process, FWS is able to provide additional time for public comment and review of proposed hunting regulations and state agencies are able to provide season date and bag limit information to hunters much earlier than previously. A detailed account of the new process for setting annual waterfowl hunting regulations is available at: <https://www.fws.gov/birds/policies-and-regulations/regulations/how-regulations-are-set-the-process.php>

OVERVIEW AND OUTLOOK FOR 2016

Status of Duck Populations and Habitat Conditions on the Breeding Grounds – The number of breeding ducks estimated on this year's North American spring waterfowl survey was 48.4 million. This estimate is 2% below last year's estimate of 49.5 million and 38% above the long-term average (1955-2015; 34.9 million). Wetland numbers recorded on the spring breeding ground survey were estimated at 5.0 million, which is 21% below last year's estimate of 6.3 million and similar to the long-term average of 5.2 million. Widespread heavy rainfall was reported over portions of the northern breeding grounds after the spring survey was completed, improving brood-rearing conditions for early-nesting ducks that had successful nests and habitat conditions for late nesting species and pairs that re-nested. As a result of good habitat conditions and production in recent years, population estimates for most duck species surveyed in 2016 were well above long-term averages. Annual estimates of waterfowl abundance and spring habitat conditions are presented in a FWS report titled "Waterfowl Population Status, 2016", which is available at: <https://www.fws.gov/birds/surveys-and-data/reports-and-publications/population-status.php>.

Canada Geese – Most of the Canada geese that occur in Illinois during fall and winter are from two distinct populations. Mississippi Valley Population (MVP) Canada geese nest in northern Ontario and represent about half of the Canada geese harvested in Illinois during the regular goose season. In 2016, breeding population surveys used to monitor MVP Canada geese and two other interior Canada goose populations (Eastern Prairie Population and Southern James Bay Population) were modified and combined into a single survey. The three interior Canada goose populations collectively make up the Mississippi Flyway Interior Population (MFIP). The new survey will provide comparable information on annual changes in MFIP geese in future years. Inclement weather occurred across much of the Hudson Bay Lowlands this spring when many MFIP geese were nesting. As a result of severe weather during nest initiation and hatching, production of MFIP geese may be below-average this year. Giant Canada geese that nest in Illinois make up roughly 24% of Illinois' regular season Canada goose harvest and about 22% of Illinois' harvest consists of giant Canada geese that nest in surrounding states. The 2016 population estimate for giant Canada geese that nests in Illinois (105,150) was 7% less than the number estimated in 2015 and the spring giant Canada goose population estimate for the entire Mississippi Flyway (1.53 million) was about 6% lower than last year. An early spring and relatively minor flooding resulted in good nesting conditions for most giant Canada geese nesting in the Mississippi Flyway this year and production is expected to be average to above average.

Snow Geese – An estimated 3.45 million Mid-continent light geese were observed on the 2016 Midwinter Waterfowl Survey, a nationwide waterfowl survey conducted by each state which occurs each year in early January. This estimate is about 5% higher than the number observed in 2015 (3.28 million), approximately 8% higher than the most recent 10-year average of 3.19 million, and about 60% above the long-term (1970-2015) average of 2.16 million. Preliminary information on 2016 nesting conditions for Mid-continent light geese indicated mostly favorable spring weather and good production.

White-fronted Geese – White-fronted geese ("specklebellies" or "specs") that make up the Mid-continent Population (MCP) concentrate on staging areas in the southern Canadian prairies each fall. Biologists conduct fall aerial inventories during peak of white-front migration to monitor changes in population status. In fall 2015, slightly less than 1 million MCP white-fronted geese were observed (977,090), 3 percent fewer than the number observed in 2014 (1.01 million) and 36 percent above the 10-year average (719,640). Nesting conditions across the MCP white-fronted goose nesting range were average to above-average this spring.

For additional information on waterfowl harvests, population trends, aerial surveys, and hunter opinions please see the websites below:

U.S. Fish and Wildlife Service: <https://www.fws.gov/birds/index.php>

Illinois Natural History Survey: <http://www.inhs.illinois.edu/programs/hd/>

Illinois Department of Natural Resources: <http://www.dnr.illinois.gov/hunting/waterfowl/Pages/default.aspx>

JOIN THE FIGHT!

96% of Illinois waterfowl hunters are already fighting the spread of aquatic invaders.*

After hunting in any waterbody:

- **REMOVE** plants, animals and mud from all equipment.
- **DRAIN** all water from your boat and gear.
- **DRY** everything thoroughly with a towel.
- **BRUSH** hunting dogs, and hose down their gear and kennels with tap water.



*Based on a survey of boat show attendees.

REMEMBER TO CHECK THESE AREAS:

BLINDS



WADERS & BOOTS



DECOYS



ANCHORS & BAGS



TRANSPORTZERO.ORG

Produced by Illinois-Indiana Sea Grant and Illinois Natural History Survey, Prairie Research Institute. ©2014 The Board of Trustees of the University of Illinois. IISG-14-24



2016-2017 WATERFOWL HUNTING INFORMATION

New Regulations are Shaded.

LICENSES, STAMPS AND HIP

Hunters must have a current, valid hunting license, Harvest Information Program (HIP) registration/certification and Federal and State Migratory Waterfowl Stamps in their possession at all times when afield. Federal stamps must be signed in ink across the face of the stamp. Please refer to the **2016-2017 Digest of Hunting & Trapping Regulations** for exemptions and further information.

Annual Fees Are (*including agent's fees*):

Resident Hunting License	\$12.50
Veteran Resident	\$6.50 ^a
Non-resident Hunting License 5-day/regular	\$35.75 / \$57.75
Resident Senior Hunting License (65 to 74)	\$6.50
Resident >75 Years Old Hunting License	\$1.00 ^b
Resident >75 Years Old Sportsman Combination Hunt/Fish License	\$2.00 ^b
Apprentice Hunting License (Resident or Non-resident)	\$7.50 ^c
Youth Hunting License	\$7.00 ^d
State Waterfowl Stamp	\$15.50
Federal Waterfowl Stamp	\$25.00 ^e
Sportsman's License (hunt-fish)	\$26.25

^a Illinois and disabled veterans may not need a license or may qualify for a half-price license. See details at www.dnr.illinois.gov or call (217) 782-2965.

^b These licenses are available to any Illinois resident over 75 years of age. A state Waterfowl Stamp is required, but is free with this license.

^c This is a one-time, non-renewable license. It allows those age 17 and under to hunt with a validly licensed parent, grandparent or guardian. Those age 18 and older can hunt with any valid license holder who is over 21. No hunter safety course required.

^d Any resident youth hunter age 18 and under may purchase a Youth Hunting License, which does not require the hunter to have a Hunter Education Card. A youth hunter with this license must hunt while supervised by a parent, grandparent, or guardian who is 21 years of age or older and has a valid Illinois hunting license. The youth hunter shall not hunt or carry a hunting device unless the youth is accompanied by and under close personal supervision of these individuals. As of January 1, 2016 a resident youth hunter age 18 and under may purchase a Youth Hunting License.

^e Does not include agent's fee or other charges.

A State Habitat Stamp is **NOT** required to hunt waterfowl.

IF YOU WANT TO HUNT WATERFOWL IN ILLINOIS AND YOU ARE:

YOU NEED:	under 16	16 – 18	19 – 64	65 & Older	Disabled ^d	Serviceman ^e	Landowner ^f	Lifetime License Holder
Hunting License ^a	X	X	X	X				
Federal Waterfowl Stamp		X	X	X	X	X	X	X
State Waterfowl Stamp		X	X	X				X
Harvest Information Program (HIP) Registration/Certification ^b	X	X	X	X				X

^a Hunters born on or after January 1, 1980 must show proof that they have successfully completed a Hunter Education Course by Illinois DNR or their resident state or must show a previous hunting license.

^b To hunt migratory game birds (doves, ducks, geese, coots, mergansers, woodcock, snipe and rails). Lifetime license holders must register with HIP.

^c For the purpose of this section, "DISABLED" = disabled American veterans with at least 10% service-related disabilities or disabled persons certified under the Illinois Identification Card Act as having a Type 1 or Type 4, Class 2 disability. "SERVICEMAN" = persons on leave from the Armed Services, having entered the military as an Illinois resident. "LANDOWNER" (or tenant) = those persons and their children, parents, brothers and sisters **permanently residing** on their land and **hunting on that land**.

HARVEST INFORMATION PROGRAM (HIP)

Waterfowl, Dove and Other Migratory Gamebird Hunters

Registration with **HIP** (National Migratory Bird Harvest Information Program) is required **annually** to hunt migratory game birds in Illinois. For waterfowl, dove and other migratory gamebird hunters, register with HIP at the license vendor when you purchase your hunting license and state duck stamp. Hunters can register with HIP online at www.dnr.illinois.gov or by calling **1-888-6PERMIT** (1-888-673-7648). A \$3.08 convenience fee will be charged for phone sales if you do not register for HIP at the time of license purchase. If you get your HIP certification by phone, record the transaction number on your license.

DUCKS & EARLY CANADA GEESE

SPECIES	DATES (Inclusive)	HOURS	DAILY BAG LIMIT	POSSESSION LIMIT
Teal	Sep. 3 – Sep. 18 (Statewide)	Sunrise to Sunset	6	18
Ducks	North Zone Oct. 15 – Dec. 13	1/2 hour before sunrise to sunset	6 (See section on Bag Limits)	18 (See section on Bag Limits)
	Central Zone Oct. 22 – Dec. 20		5 (See section on Bag Limits)	15 (See section on Bag Limits)
Mergansers	South Central Zone Nov. 11 – Jan. 9		15	45
Coots	South Zone Nov. 24 – Jan. 22		5	15
Early Canada Geese	Sep. 1 – Sep. 15 (North and Central Zones)		2	6
Early Canada Geese	Sep. 1 – Sep. 15 (South Central and South Zones)			

Bag Limit – DUCKS – Bag limits on ducks are as follows: The basic daily bag limit shall be 6 ducks of any species including all teal species, (except mergansers); however, no more than 4 shall be mallards (no more than 2 hen mallards) and not more than 3 wood ducks, 3 scaup, 2 redheads, 2 pintails, 2 canvasbacks, and not more than 1 black duck and 1 mottled duck. In addition to the daily bag limit for ducks, the daily bag limit for all mergansers is 5, only 2 of which may be hooded mergansers. The possession limit for ducks and mergansers is three (3) times the daily bag limit by species and sex.

YOUTH WATERFOWL HUNTING DAYS*

SPECIES	DATES	HOURS	DAILY BAG LIMIT
Ducks	North Zone Oct. 8 – Oct. 9	1/2 hour before sunrise to sunset	6 (See section on Bag Limits)
Mergansers			5 (See section on Bag Limits)
Coots	Central Zone Oct. 15 – Oct. 16		15
Canada Geese	South Central Zone Nov. 5 – Nov. 6		2
Snow Geese	South Zone Nov. 12 – Nov. 13		20
White-fronted Geese			2
Brant			1

*Youth Waterfowl Hunting Day Regulations

1. Youth hunters must be **17 years of age or younger** and must have a hunting license and HIP registration/certification unless hunting on property where they reside. No stamps are required for youths under 16. State and federal waterfowl stamps are required for all hunters age 16 and older, even those hunting with a Youth License, unless exempt (see page 4). Hunters aged 18 years and older may not hunt waterfowl and coots during the Youth Waterfowl Hunting Days, even if hunting with a Youth License.
2. Only geese, ducks, mergansers and coots may be taken in addition to other game in season.
3. An adult at least 18 years of age must accompany the youth hunter into the field. This adult cannot hunt geese, ducks, coots or mergansers but can participate in other open seasons.
4. Zone lines for Youth Waterfowl Hunt follow duck zone lines.

GEESE

DATES (Inclusive)		HOURS	DAILY BAG LIMIT	POSSESSION LIMIT
Canada Geese		1/2 hour before sunrise to sunset	2	6
North Zone	Oct. 15 – Jan. 12			
Central Zone	Oct. 22 – Oct. 30 & Nov. 12 – Jan. 31			
South Central Zone	Nov. 11 – Jan. 31			
South Zone	Nov. 24 – Jan. 31			
Snow/Blue & Ross' Geese and Brant			20 Snow/Blue & Ross' Geese 1 Brant	Unlimited Snow/Blue & Ross' Geese 3 Brant
North Zone	Oct. 15 – Jan. 12			
Central Zone	Oct. 22 – Jan. 31			
South Central Zone	Nov. 11 – Jan. 31			
South Zone	Nov. 24 – Jan. 31			
White-fronted Geese		2	6	
North Zone	Oct. 17 – Jan. 12			
Central Zone	Nov. 5 – Jan. 31			
South Central Zone	Nov. 11 – Jan. 31			
South Zone	Nov. 24 – Jan. 31			

CONSERVATION ORDER LIGHT GOOSE SEASONS

DATES (Inclusive)		HOURS	DAILY BAG LIMIT	POSSESSION LIMIT
Snow/Blue & Ross' Geese		1/2 hour before sunrise to 1/2 hour after sunset	None	None
North Zone	Jan. 13 – Mar. 31			
Central Zone	Feb. 1 – Mar. 31			
South Central Zone	Feb. 1 – Mar. 31			
South Zone	Feb. 1 – Mar. 31			

CONSERVATION ORDER SEASON REGULATIONS

1. Unplugged shotguns may be used. There is no limit to the number of shells that may be placed in a shotgun.
2. Electronic calling devices may be used.
3. No federal duck stamp required.
4. State duck stamp and hunting license required.

DON'T SHOOT A SWAN


DON'T MAKE A MISTAKE! ALL WILD SWANS ARE PROTECTED IN ILLINOIS

Several Midwestern states are reintroducing the native Trumpeter Swan to the region. Some of these birds are migrating through and wintering in Illinois. You can help bring back this magnificent swan by:

- Learning the difference between swans and snow geese.
- Reporting observations of marked swans with wing tags, neck collars, bands.
- Protecting wetland habitat.
- Reporting any harassment of Trumpeter Swans.

Please report swan sightings to:


**Illinois Department of Natural Resources, Waterfowl Program,
700 South 10th Street,
Havana, IL 62644
309/543-3065**



TRUMPETER SWAN

Protected Species.
Long neck
Length: 4 ft.
Wingspan: 7 ft.
Weight: 20 - 30 lbs.

ALL WHITE PLUMAGE



SNOW GOOSE

Legally hunted.
Short neck
Length: 1 1/2 ft.
Wingspan: 3 1/2 ft.
Weight: 3 - 6 lbs.

White plumage, but BLACK WING TIPS.

CAUTION-White Pelicans have black wing tips, but their wingspan is 8-9 1/2 ft.

FIREARMS SAFETY DEPENDS ON YOU

1. Be sure of your target and what's beyond it before you pull the trigger.
2. Do not shoot towards homes, buildings, people or animals that may be hit by your shot, especially when using large shot sizes.
3. Use caution when shooting over water or ice to avoid ricochet.
4. Set up a safe shooting corridor in front of your blind and do not shoot outside it.
5. You are responsible for what your shot strikes. Hunters who damage property or injure others can be charged with reckless conduct and face criminal and financial penalties.

WATERFOWL BANDS

Please report all banded birds you encounter online at www.reportband.gov or by calling **1-800-327-BAND** (2263). Bands are not just a trophy, they help support important waterfowl management programs and provide valuable information that biologists need to properly manage migratory game birds. You can report any band (except pigeons), even if it is an old band that does not have the 1-800 number or web address inscribed on it, and you may keep the band. Certificates of Appreciation with information on when and where the bird was banded are sent by the USGS Bird Banding Laboratory via email to individuals who report recovered bands.

WETLAND MANAGEMENT FOR WATERFOWL AND OTHER WILDLIFE

Waterfowl and other wetland wildlife are a diverse group of animals with widely varying habitat needs. Factors that must be considered when managing wetlands to attract waterfowl are; water depth, food, and vegetative cover. For instance, most dabbling ducks, like mallards and pintails, prefer water depths of less than 18 inches. Diving ducks, like scaup, ring-necked ducks, and canvasbacks, prefer deeper water. These differences are related to species' preferred food and body structure.


Dabbling ducks (prefer the seeds and parts of aquatic vegetation, but because they are poorly equipped to dive deeply, they tend to eat the food that they can easily reach by feeding at the surface or "tipping up". Diving ducks are equipped to dive to greater depths in part because their feet are positioned farther towards the rear of their body. This allows them to dive more efficiently, and as a result they can eat the food items found in deeper water. Diversity of vegetation around wetland edges can be important as well. Thick vegetation may provide hiding places for broods in summer and thermal cover in winter, other waterfowl may prefer the safety bare mudflats provide.

Managers should attempt to provide as diverse an array of habitat types as possible. On large wetland complexes, wetland managers should strive to vary management practices and water levels. Alternatively, complexes of separate and smaller wetlands can achieve the same goals when managed in different manners. These habitats aren't just good for waterfowl and other wildlife; they are good for hunters too. Past studies have shown that hunter success increases when duck numbers in the surrounding area increase. With many waterfowl species populations at or near all-time highs, providing habitat to attract a variety of duck species should increase duck abundance, which should increase hunter success in the area.

It's also important to leave wetlands flooded in the spring to provide habitat for ducks returning to the breeding grounds. Most waterfowl foods grow in the summer and are eaten during fall migration, often leaving little for spring migrants, a critical time period for ducks as they prepare to nest. Delaying draining of managed wetlands until March and April will ensure ducks returning north have an adequate food supply. There will still be time to plant crops for waterfowl food and for moist-soil plants to produce natural food. More ducks in better condition returning in spring will lead to better production and a greater fall flight. Contact your local District Wildlife Biologist for more information on managing wetlands in your area for waterfowl.


ILLINOIS WATERFOWL ZONES

Inset maps for zone borders are found on page 10.





ILLINOIS WATERFOWL ZONES

Inset Maps



Striped Area is in the North Duck Zone and Central Goose Zone

Boundary for the Central Duck & Goose Zone and the South Central Duck & Goose Zone



Boundary for the South Central Duck & Goose Zone and the South Duck & Goose Zone

WATERFOWL HUNTING ZONE DESCRIPTIONS

Ducks (Including Mergansers) and Coots

North Duck Zone: That portion of the state north of a line extending west from the Indiana border along Peotone-Beecher Road to Illinois Route 50, south along Illinois Route 50 to Wilmington-Peotone Road, west along Wilmington-Peotone Road to Illinois Route 53, north along Illinois Route 53 to New River Road, northwest along New River Road to Interstate Highway 55, south along I-55 to Pine Bluff-Lorenzo Road, west along Pine Bluff-Lorenzo Road to Illinois Route 47, north along Illinois Route 47 to I-80, west along I-80 to I-39, south along I-39 to Illinois Route 18, west along Illinois Route 18 to Illinois Route 29, south along Illinois Route 29 to Illinois Route 17, west along Illinois Route 17 to the Mississippi River, and due south across the Mississippi River to the Iowa border.

Central Duck Zone: That portion of the state south of the North Duck Zone line to a line extending west from the Indiana border along I-70 to Illinois Route 4, south along Illinois Route 4 to Illinois Route 161, west along Illinois Route 161 to Illinois Route 158, south and west along Illinois Route 158 to Illinois Route 159, south along Illinois Route 159 to Illinois Route 3, south along Illinois Route 3 to St. Leo's Road, south along St. Leo's road to Modoc Road, west along Modoc Road to Modoc Ferry Road, southwest along Modoc Ferry Road to Levee Road, southeast along Levee Road to County Route 12 (Modoc Ferry entrance Road), south along County Route 12 to the Modoc Ferry route and southwest on the Modoc Ferry route across the Mississippi River to the Missouri border.

South Duck Zone: That portion of the state south and east of a line extending west from the Indiana border along Interstate 70, south along U.S. Highway 45, to Illinois Route 13, west along Illinois Route 13 to Greenbriar Road, north on Greenbriar Road to Sycamore Road, west on Sycamore Road to N. Reed Station Road, south on N. Reed Station Road to Illinois Route 13, west along Illinois Route 13 to Illinois Route 127, south along Illinois Route 127 to State Forest Road (1025 N), west along State Forest Road to Illinois Route 3, north along Illinois Route 3 to the south bank of the Big Muddy River, west along the south bank of the Big Muddy River to the Mississippi River, west across the Mississippi River to the Missouri border.

South Central Duck Zone: The remainder of the state between the south border of the Central Zone and the North border of the South Zone.

Geese

North Goose Zone: That portion of the state north of a line extending west from the Indiana border along Interstate 80 to I-39, south along I-39 to Illinois Route 18, west along Illinois Route 18 to Illinois Route 29, south along Illinois Route 29 to Illinois Route 17, west along Illinois Route 17 to the Mississippi River, and due south across the Mississippi River to the Iowa border.

Central Goose Zone: That portion of the state south of the North Goose Zone line to a line extending west from the Indiana border along I-70 to Illinois Route 4, south along Illinois Route 4 to Illinois Route 161, west along Illinois Route 161 to Illinois Route 158, south and west along Illinois Route 158 to Illinois Route 159, south along Illinois Route 159 to Illinois Route 3, south along Illinois Route 3 to St. Leo's Road, south along St. Leo's road to Modoc Road, west along Modoc Road to Modoc Ferry Road, southwest along Modoc Ferry Road to Levee Road, southeast along Levee Road to County Route 12 (Modoc Ferry entrance Road), south along County Route 12 to the Modoc Ferry route and southwest on the Modoc Ferry route across the Mississippi River to the Missouri border.

South Goose Zone: Same zones as for ducks.

South Central Goose Zone: Same zones as for ducks.

TOM ROSTER'S 2012 NONTOXIC SHOT LETHALITY TABLE[®]

Proven Nontoxic Shot Loads For Waterfowl & Upland Game Birds¹ Load Velocity: 1,225 - 1,450 FPS ACTIVITY

	Typical Shooting Range of Activity (Yards)	Most Effective Nontoxic Shot Sizes) For Birds Listed Under the First Column Entitled ACTIVITY	Minimum Load Weight (Ounces)	Minimum Pellet Hits Needed on Lethal Areas for Clean Kills	Minimum Pattern Count Needed at Any Distance for Clean Kills (# of Pellets in 30" Circle)	Most Effective Choke(s) (Given in Lead Shot Choke Designations)	NOTE: The pellets in the steel shot loads listed in this table were traditional, highly spherical ball-shaped pellets of ~ 7.86 g/cc density and 90-95 DPH hardness. The HEVI-Shot pellets were of 12.0 g/cc density and slightly harder than traditional steel pellets.
Large Geese At Long Range Giant, Western, Atlantic and Interior Canadas	50-65	Steel BBB to T	1-1/4	1-2	50-55	Improved Modified	
	50-70	HEVI-Shot 2 to B	1-1/2	1-2	50-55	Improved Modified, Full	
Large Geese Over Decoys	35-50	Steel BB to BBB	1-1/4	1-2	50-55	Improved Cylinder, Modified	
	35-50	HEVI-Shot 2 to B	1-1/2	1-2	50-55	Improved Cylinder, Modified	
Medium/Small Geese Long Range Snow, White-fronted, Lesser Canadas	50-65	Steel BB to BBB	1-1/4	1-2	60-65	Improved Modified	
	50-65	HEVI-Shot 2	1-1/2	1-2	60-65	Improved Modified, Full	
Medium/Small Geese Over Decoys	35-50	Steel 2 to BB	1-1/4	1-2	60-65	Light Modified, Modified	
	35-50	HEVI-Shot 4 to 2	1-1/4	1-2	60-65	Improved Cylinder, Modified	
Large Ducks At Long Range Mallard, Black, Pintail, Goldeneye, Gadwall	45-65	Steel 2 to 1	1-1/8	1-2	85-90	Improved Modified, Full	
	45-65	HEVI-Shot 4	1-1/4	1-2	85-90	Improved Modified, Full	
Large Ducks Over Decoys	20-45	Steel 6 to 2	3/4- 1	1-2	85-90	I.C. (20-35 Yds), Mod. (35-45 Yds)	
	20-45	HEVI-Shot 6 to 4	1-1/8	1-2	85-90	I.C. (20-35 Yds), Mod. (35-45 Yds)	
Medium Ducks Over Decoys Wigeon, Scaup, Shoveler	20-45	Steel 6 to 3	1	1-2	115-120	I.C. (20-35 Yds), Mod. (35-45 Yds)	
	20-45	HEVI-Shot 6 to 4	1-1/8	1-2	115-120	I.C. (20-35 Yds), Mod. (35-45 Yds)	
Small Ducks Over Decoys Teal, Ruddy, Bufflehead	20-45	Steel 6 to 4	1	1-2	135-145	Mod. (20-35 Yds), Full (35-45 Yds)	
	20-45	HEVI-Shot 6	1-1/8	1-2	135-145	Mod. (20-35 Yds), Full (35-45 Yds)	
Ring-Necked Pheasants	20-50	Steel 3 to 2	1	2-3	90-95	I.C. (20-30 Yds), Mod. (30-50 Yds)	
	20-50	HEVI-Shot 4	1-1/8	2-3	90-95	I.C. (20-30 Yds), Mod. (30-50 Yds)	
Turkeys (Head and Neck Shots)	20-40	Steel 4	1-1/4	3-4	210-230	Full or Extra Full	
Swatter Load For Wounded Birds	20-30	Steel 7 to 6	1	1	175	Improved Modified, Full	

This table summarizes Tom Roster's analyses to date of the waterfowl lethality data bases for certain of the 15 U.S. steel versus lead waterfowl shooting tests run between 1968 & 1982 & one steel-only pheasant shooting test plus lethality data bases owned by ammunition companies for birds taken with nontoxic shotshell loads Roster tested for them & the CONSEP organization.

Note: Steel #BBB (.190") and HEVI-Shot #2 (.150") have exhibited the best all-around performance for taking geese; steel #3 (.140") and HEVI-Shot #4 (.130") the best all-around performance for taking ducks; and steel #2 and HEVI-Shot #4 the best all-around performance for taking ring-necked pheasants.

¹These findings are derived from testing 3" 20 gauge; 2 3/4", 3" and 3 1/2" 12 gauge; and 3 1/2" 10 gauge steel loads; plus 3" 20 gauge and 2 3/4" and 3" 12 gauge HEVI-Shot loads.

© Copyright 2012 by Tom Roster. For answers to questions on this table contact: Tom Roster, 1190 Lynnwood, Klamath Falls, OR, USA 97601. tomroster@charter.net

SUMMARY OF STATE AND FEDERAL REGULATIONS

In addition to statewide regulations, the following regulations apply to MIGRATORY WATERFOWL HUNTERS (ducks, geese, mergansers, coots).

NOTE: Material below is only a summary. Each hunter should also consult Title 50, Code of Federal Regulations, Part 20, Chapter 520 of the Illinois Compiled Statutes and IL Digest of Hunting and Trapping Regulations - 2016-2017 or talk with a local Conservation Police Officer or a Division of Wildlife Resources Biologist. For additional information on federal regulations call the U.S. Fish & Wildlife Service in Springfield, Illinois at 217-793-9554.

Non-Toxic Shot Requirements

Non-toxic shot currently approved by the USFWS includes: (note some brand names are listed in parenthesis for convenience), steel (Federal Black Cloud + all other steel shot), bismuth-tin, iron-tungsten, iron-tungsten-nickel (Environ-Metal: HEVI-13, Rem. HEVI-Shot, HEVI-Duck, HEVI-Steel, Classic Doubles and Federal Heavyweight), tungsten-bronze (Remington Wingmaster HD), tungsten-iron-copper-nickel (Win. Extended Range Hi-Density), tungsten-matrix ([Kent] Impact), tungsten-polymer, tungsten-tin-iron (Fed. UltraShok High Density), tungsten-tin-bismuth, tungsten-tin-iron-nickel (Environ-Metal Dead Coyote!), tungsten-iron-polymer (Tundra Composites TIF Shot), copper-clad iron shot (Spectra Shot). Other approved brand names of non-toxic shot are "Nice Shot" and "Ballistic Products ITX Shot". A list of approved non-toxic shot can be found at: <https://www.fws.gov/birds/bird-enthusiasts/hunting/nontoxic.php>

Shot Size Requirements

It is unlawful to hunt with or have in your possession while hunting waterfowl a shotgun shell with shot larger than steel size T or larger than BBB of any other non-toxic shot.

Hunting Devices & Ammunition Restrictions

It is unlawful to use a trap, snare, net, rifle, pistol, shotgun larger than 10-gauge, punt gun, battery gun, machine gun, fishhook, poison, drug, explosive or stupefying substance. Crossbows may be used to take waterfowl by a person age 62 or older, a handicapped person who has a permit to use a crossbow, and anyone from the second Monday following the Thanksgiving holiday through the last day of the archery deer season.

It is unlawful to hunt with a shotgun capable of holding more than three shells, UNLESS it is plugged with a one-piece filler which limits its total shell capacity to three and which is incapable of removal without disassembling the gun. This does not apply during Conservation Order light goose seasons (snow/blue and Ross' geese) that occur after Canada goose season has closed. (see page 7).

Hunting From Floating Blinds, Boats & Skiff Boats

It is unlawful to hunt from a floating blind that is not anchored EXCEPT a skiff boat may be used on certain public waters and waterfowl may be taken from a boat not mechanically powered and not camouflaged or disguised. A boat merely painted camouflage is not considered camouflaged.

Live Decoys

It is unlawful to hunt by the use or aid of live decoys. All live, tame or captive ducks and geese shall be removed for a period of 10 consecutive days prior to hunting and confined within an enclosure which substantially reduces the audibility of their calls and totally conceals such birds from the sight of migratory waterfowl.

Electronic Calling Devices

It is unlawful to use a recording or electronic calling device to hunt migratory birds other than crows, except during Conservation Order light goose seasons that occur after Canada goose season such electronic call devices may be used to hunt snow/blue and Ross' geese. (see page 7).

Shooting Crippled Waterfowl From Boats

It is unlawful to hunt waterfowl from a moving watercraft propelled by mechanical power or sails. NOTE: However, waterfowl hunters may have an uncased and unloaded gun in their boat for the purpose of pursuing crippled migratory waterfowl incapable of normal flight in an attempt to reduce said bird to possession, provided that the attempt is made immediately upon downing the bird and is done within 400 yards of the blind from which the bird was downed. The gun cannot be loaded unless the motor has been completely shut off and the crippled birds may not be shot from such a boat until the motor has been completely shut off and its progress therefrom has ceased.

Driving or Chasing Birds

It is unlawful to hunt by driving, rallying or chasing birds with any motorized conveyance or any sailboat to put them in the range of the hunters.

Possession of Live Birds

It is unlawful to retain live waterfowl taken while hunting. Every migratory game bird wounded by hunting and reduced to possession by the hunter shall be immediately killed and become part of the daily bag limit.

Field Possession Limit

It is unlawful to possess, have in custody, or transport more than one daily bag limit tagged or not tagged while in the field or while returning from the field to one's car, hunting camp, home, etc.

Wanton Waste – Retrieval of Downed Game Birds

It is unlawful to kill or cripple any migratory game bird without making a reasonable effort to retrieve the bird and retain it in your actual custody, at the place where taken or between that place and your automobile or personal abode or temporary place of lodging or a migratory bird preservation facility or a post office or a common carrier facility. ***Birds must remain in your possession while in the field.*** NOTE: You need permission to enter private property. It is unlawful to wantonly waste or destroy the useable meat (defined as the breast meat of a migratory game bird) of any game bird or migratory game bird that has a bag limit, and to leave, dump or abandon a wildlife carcass or its parts along or upon a public right-of-way or highway or on public or private property, including a waterway or stream without permission.

Tagging Requirements

It is unlawful to give, put or leave any migratory game birds at any place (other than his personal abode) or in the custody of another person UNLESS the birds are tagged by the hunter with the hunter's signature and address, the total number of birds involved, by species, and the dates such birds were killed. Refer to the waterfowl section of the DNR website for printable tags for gifting or transporting waterfowl. www.dnr.illinois.gov/hunting/waterfowl

Gift of Migratory Game Birds

No person may receive, possess, or give to another, any freshly-killed migratory game bird as a gift, except at the personal abode of the donor or donee, unless such birds have a tag attached (see tagging requirements).

Custody of Birds of Another

It is unlawful to receive or have in custody any migratory game birds belonging to another person UNLESS such birds are properly tagged.

Species Identification Requirement

It is unlawful to completely field dress any migratory game bird (except doves) and then transport the birds from the field. The head or one fully-feathered wing must remain attached to all such birds while being transported from the field to one's home or commercial preservation facility.

Termination of Possession

The possession of birds taken by any hunter ceases when such birds have been delivered by him to another person as a gift; or have been delivered by him to a post office, a common carrier, or a migratory bird preservation facility and consigned for transport by the Postal Service or a common carrier to some person other than the hunter.

Shipment – Marking Package

It is unlawful to ship migratory game birds UNLESS the package is marked clearly and conspicuously on the outside with the name and address of the person sending the birds, the name and address of the person to whom the birds are being sent, and the number of birds, by species, contained in the package.

Importation

It is unlawful to import migratory game birds killed in any foreign country, except Canada, UNLESS such birds are dressed (except as required below), drawn and the head and feet are removed. NOTE: One fully-feathered wing must remain attached to all migratory game birds being transported between a port of entry and one's home or to a migratory bird preservation facility. No person shall import migratory game birds belonging to another person. For information regarding the importation of migratory birds killed in another country, hunters should consult 50 CFR 20.61 through 20.66.

Sink Box

It is unlawful to hunt from a sink box (a low floating device, having a depression affording the hunter a means of concealment beneath the surface of the water).

Aquatic Transport Laws

The Illinois Boat Registration and Safety Act has been amended to prevent the spread of invasive aquatic plants and animals by boats, trailers and vehicles. It is now illegal to enter OR leave a waterbody with aquatic plants (except duckweed) and animals attached to your boat, trailer, or gear (example; decoys). Travel on Illinois highways with aquatic plants (except duckweed) or animals attached is also prohibited. Always **Remove, Drain, and Dry** to comply with the new law.

Outfitter and Guide Regulations

Waterfowl outfitting and guiding is now included in the outfitter administrative rule making it consistent with deer and turkey outfitting services, while eliminating the reporting requirements for many hunting clubs and individuals who previously had to report annually under the Commercial Migratory Waterfowl Hunting Area Permit. Administrative Rule 640 defines an outfitter as a person (as defined in the Wildlife Code [520 ILCS 5/1.2]), including an officer or employee of a person, who provides or offers to provide outfitting services for waterfowl, deer or wild turkey hunting.

Outfitting Services are defined as any service that, for financial or other consideration, offers or promises waterfowl, deer and/or wild turkey hunting access, assistance, guidance or opportunity on private or leased lands by way of one or more of the following:

- guides, guide services, or bringing or retrieving equipment, stands, blinds, decoys or a client to or from the field; or
- access to property that the person providing access leases or rents for waterfowl, deer and/or wild turkey hunting; or
- access to property subleased, at least in part, for waterfowl, deer or wild turkey hunting; or
- an individual or business that solicits or secures waterfowl, deer and/or turkey hunting clients for a landowner or tenant or another outfitter.

A guide is defined as any person who provides any of the following services to the client of an outfitter: providing advice to the hunter while hunting about how and/or where to conduct his/her hunt, setting decoys, calling, stalking, pursuing, tracking, retrieving game, field dressing, caring for meat, field preparation of trophies including skinning or capeing, carriage of hunters in the field, carriage of hunter's equipment in the field or carriage of waterfowl, deer or turkey harvested by hunters.

The following are not considered outfitting services:

- a hunting lease granted by a landowner to a hunter or group of hunters;
- providing transportation to or from a place of accommodation or a hub of public transportation;
- for the purpose of waterfowl hunting, landowners or waterfowl hunting clubs or organizations that:
 - do not take compensation or fees other than annual membership and annual maintenance fees;
 - do not accept paying hunters on a day-to-day basis and are otherwise closed to the public; or
 - provide only waterfowl blinds or pits

If you have any questions on outfitter and guide regulations please call IDNR Law Enforcement at 217- 782-6431 or see the IDNR website at

<http://www.dnr.illinois.gov/LawEnforcement/Pages/OutfitterRegulationInformation.aspx>

STATE AND FEDERAL BAITING REGULATIONS

Federal baiting regulations define key terms for hunters and land managers, and clarify conditions under which you may legally hunt waterfowl and other migratory game birds. As a waterfowl hunter or land manager, it is your responsibility to know and obey all Federal and State laws that govern the sport. Rules that affect waterfowl hunting also apply to hunting coots and all references to waterfowl encompass these birds as well. Federal regulations are more restrictive for waterfowl hunting than for dove hunting.

For further information, go to www.fws.gov/le/huntfish/waterfowl_baiting.htm.

Definitions from Title 50, Code of Federal Regulations, Part 20.11

Normal agricultural planting, harvesting, or post-harvest manipulation means a planting or harvesting undertaken for the purpose of producing and gathering a crop, or manipulation after such harvest and removal of grain, that is conducted in accordance with official recommendations of State Extension Specialists of the Cooperative State Research, Education, and Extension Service of the U.S. Department of Agriculture.

Normal agricultural operation means a normal agricultural planting, harvesting, post-harvest manipulation, or agricultural practice that is conducted in accordance with official recommendations of State Extension Specialists of the Cooperative State Research, Education, and Extension Service of the U.S. Department of Agriculture.

Normal soil stabilization practice means a planting for agricultural soil erosion control or post-mining land reclamation conducted in accordance with official recommendations of State Extension Specialists of the Cooperative State Research, Education, and Extension Service of the U.S. Department of Agriculture for agricultural soil erosion control.

Baited area means any area on which salt, grain, or other feed has been placed, exposed, deposited, distributed, or scattered, if that salt, grain, or other feed could serve as a lure or attraction for migratory game birds to, on, or over areas where hunters are attempting to take them. Any such area will remain a baited area for 10 days following the complete removal of all such salt, grain, or other feed.

Baiting means the direct or indirect placing, exposing, depositing, distributing, or scattering of salt, grain, or other feed that could serve as a lure or attraction for migratory game birds to, on, or over any areas where hunters are attempting to take them.

Manipulation means the alteration of natural vegetation or agricultural crops by activities that include but are not limited to mowing, shredding, discing, rolling, chopping, trampling, flattening, burning, or herbicide treatments. The term manipulation does not include the distributing or scattering of grain, seed, or other feed after removal from or storage on the field where grown.

Natural vegetation means any non-agricultural, native, or naturalized plant species that grows at a site in response to planting or from existing seeds or other propagules. The term natural vegetation does not include planted millet. However, planted millet that grows on its own in subsequent years after the year of planting is considered natural vegetation.

Excerpts from Title 50, Code of Federal Regulations, Part 20.21(i)

No persons shall take migratory game birds:

- (i) By the aid of baiting, or on or over any baited area, where a person knows or reasonably should know that the area is or has been baited. However, nothing in this paragraph prohibits:
- (1) The taking of any migratory game bird, including waterfowl and coots, on or over the following lands or areas that are not otherwise baited areas —
 - (i) Standing crops or flooded standing crops (including aquatics); standing, flooded, or manipulated natural vegetation; flooded harvested croplands; or lands or areas where seeds or grains have been scattered solely as the result of a normal agricultural planting, harvesting, post-harvest manipulation or normal soil stabilization practice;
 - (ii) From a blind or other place of concealment camouflaged with natural vegetation;
 - (iii) From a blind or other place of concealment camouflaged with vegetation from agricultural crops, as long as such camouflaging does not result in the exposing, depositing, distributing or scattering of grain or other feed; or
 - (iv) Standing or flooded standing agricultural crops where grain is inadvertently scattered solely as a result of a hunter entering or exiting a hunting area, placing decoys, or retrieving downed birds.

What Part 20.21(i) of the Code of Federal Regulations Means

You cannot hunt waterfowl or any other migratory game bird by the aid of baiting or on or over any baited area where you know or reasonably should know that the area is or has been baited. Baiting is the direct or indirect placing, exposing, depositing, distributing, or scattering of salt, grain, or other feed that could lure or attract migratory game birds to, on, or over any areas where hunters are attempting to take them. A baited area is any area on which salt, grain, or other feed has been placed, exposed, deposited, distributed, or scattered, if that salt, grain, or feed could serve as a lure or attraction for migratory game birds.

The 10-Day Rule

A baited area remains off limits to hunting for 10 days after all salt, grain, or other feed has been completely removed. Waterfowl will habitually still be attracted to the same area even after the bait is gone. The 10-day rule recognizes that removing bait does not remove the lure created and that waterfowl will still be attracted to the area.

What is Legal?

You can hunt migratory game birds, including waterfowl, on, over, or from:

- Standing crops or flooded standing crops, including aquatic plants.
- Standing, flooded, or manipulated natural vegetation.
- Flooded harvested croplands.
- Lands or areas where grains have been scattered solely as the result of a normal agricultural harvesting or normal agricultural post-harvest manipulation.
- Lands or areas where top-sown seeds have been scattered solely as the result of a normal agricultural planting, or a planting for agricultural soil erosion control or post-mining land reclamation.
- From a blind or other place of concealment camouflaged with natural vegetation.
- From a blind or other place of concealment camouflaged with vegetation from agricultural crops, provided your use of such vegetation does not expose, deposit, distribute or scatter grain or other feed. You should be aware that seeds or grains from such vegetation could create a baited area.
- On or over standing, or flooded standing agricultural crops where grain is inadvertently scattered solely as the result of hunters entering or leaving the area, placing decoys, or retrieving downed birds. Hunters are cautioned that while conducting these activities, any intentional scattering of grains will create a baited area.

Waterfowl Hunting on Agricultural Lands

Agricultural lands offer prime waterfowl hunting opportunities. You can hunt waterfowl in fields of unharvested standing crops. You can also hunt over standing crops that have been flooded. You can flood fields after crops are harvested and use these areas for waterfowl hunting.

The presence of seed or grain in an agricultural area rules out waterfowl hunting unless the seed or grain is scattered solely as the result of a normal agricultural planting, normal agricultural harvesting, normal agricultural post-harvest manipulation, or normal agricultural soil stabilization practice. A normal agricultural planting, normal agricultural harvesting, or normal agricultural post-harvest manipulation means a planting or harvesting undertaken to produce and gather a crop, or manipulation after such harvest and removal of grain. These activities must be conducted in accordance with official recommendations of the State Extension Specialists of the Cooperative State Research, Education, and Extension Service of the U.S. Department of Agriculture (USDA).

Planting and Harvesting

A normal agricultural planting is undertaken for the purpose of producing **and** gathering a crop. Normal agricultural plantings do not involve the placement of seeds in piles or other concentrations. Relevant factors include recommended planting dates, proper seed distribution, seed bed preparation, application rate, and seed viability. A normal soil stabilization practice means a planting for agricultural soil erosion control or post-mining land reclamation conducted in accordance with official recommendations of USDA State Extension Specialists. Lands planted by means of top sowing or aerial seeding can **only** be hunted if seeds are present solely as the result of a normal agricultural planting or normal soil stabilization practice. Lands planted as part of normal soil stabilization practices may be hunted over even if there is no intent to gather a crop.

Seeds that remain on the surface of the ground as the result of planting wildlife food plots, planting a "goose field," or planting for erosion control on a construction site are examples of activities that constitute baiting since they are not plantings undertaken for the purpose of producing and gathering a crop, agricultural soil erosion control, or post-mining land reclamation. You cannot hunt waterfowl over such areas.

A normal agricultural harvest is undertaken for the purpose of gathering a crop. The arrangement of harvested grain in long rows or piles should raise questions about the legality of the area for waterfowl hunting. A normal post-harvest manipulation first requires a normal agricultural harvest and removal of grain before any manipulation of remaining agricultural vegetation, such as corn stubble or rice stubble. You should be aware that although you can hunt doves over manipulated agricultural crops, you cannot hunt waterfowl over manipulated agricultural crops except after the field has been subject to a normal harvest and removal of grain (i.e., post-harvest manipulation).

If, for whatever reason, an agricultural crop or a portion of an agricultural crop has not been harvested (i.e., equipment failure, weather, insect infestation, disease, etc.) and the crop or remaining portion of the crop has been manipulated, then the area is a baited area and cannot be hunted for waterfowl. For example, no hunting could occur on or over a field of sweet corn that has been partially harvested and the remainder manipulated. To be considered normal, an agricultural planting, agricultural harvesting, and agricultural post-harvest manipulation must be conducted in accordance with official recommendations of USDA State Extension Specialists. However, the Service will continue to make final determinations about whether official recommendations were followed.

Hunting Over Natural Vegetation

Natural vegetation is any non-agricultural, native, or naturalized plant species that grows at a site in response to planting or from existing seeds or other propagules. Natural vegetation does not include planted millet because of its use as both an agricultural crop and a species of natural vegetation for moist soil management. However, planted millet that grows on its own in subsequent years is considered natural vegetation.

If you restore and manage wetlands as habitat for waterfowl and other migratory birds, you can manipulate the natural vegetation in these areas and make them available for hunting. Activities that fall within the definition of “manipulation” include mowing, shredding, discing, rolling, chopping, trampling, flattening, burning, and herbicide treatments.

Natural vegetation is not intended to include plants grown as agricultural crops.

Problem Areas

Feeding waterfowl. Many people feed waterfowl for the pleasure of birdwatching. It is illegal to hunt migratory game birds in an area where such feeding has occurred that could lure or attract birds to, on, or over any area where hunters are attempting to take them. The 10-day rule applies to such areas, and any salt, grain, or feed must be gone 10 days before hunting. The use of sand, shell grit, and artificial corn is not prohibited.

Distance. How close to bait can you hunt without breaking the law? There is no set distance. Court rulings vary depending on the circumstances. The influence of bait will increase or decrease depending on such factors as topography, weather, and waterfowl flight patterns. The question of distance can only be answered on a case-by-case basis. Remember, however, that the law prohibits hunting if bait is present that could lure or attract birds “to, on, or over areas where hunters are attempting to take them.”

Manipulation of crops and other agricultural practices. Although you can hunt waterfowl over natural vegetation that has been manipulated, you cannot hunt waterfowl over any manipulations of agricultural crops that occur before harvest and removal of grain. You cannot hunt waterfowl on or over areas where farmers feed grain to livestock, store grain, or engage in other normal agricultural practices. You cannot hunt waterfowl on or over ponds or other waters where fish farmers feed food to their fish, or on or over areas where wildlife is being fed.

The Hunter's Responsibility

As a hunter, you are responsible for determining whether your proposed hunting area is baited. Before hunting, you should:

- Familiarize yourself with Federal and State migratory game bird hunting regulations.
- Ask the landowner, your host or guide, and your hunting partners if the area has been baited.
- Suspect the presence of bait if you see waterfowl feeding in a particular area in unusual concentrations or displaying a lack of caution.
- Look for grain or other feed in the water, along the shore, and on the field. Pay particular attention to the presence of spilled grain on harvested fields and seeds planted by means of top-sowing.
- Confirm that scattered seeds or grains on agricultural lands are present solely as the result of a normal agricultural planting, normal agricultural harvesting, normal agricultural post-harvest manipulation, or normal soil stabilization practice by consulting with USDA State Extension Specialists.
- Abandon the hunting site if you find grain or feed in an area and are uncertain about why it is there.

Other Responsibilities

If you prepare lands for hunting, participate in such preparations, or direct such preparations, it is important for you to know and understand what practices constitute baiting. You should know **prior to hunting** what activities constitute baiting and when lands or other areas would be considered baited. If you bait or direct that an area be baited and allow hunting to proceed, you risk being charged with an offense that carries significant penalties.

Strict Liability

For years, courts in most parts of this country had historically applied a strict liability standard to baiting offenses. Under this standard, law enforcement officers did not have to prove that hunters knew bait was present in order to prove a violation had occurred. However, on October 30, 1998, Public Law 105-312 eliminated strict liability for baiting offenses and instead made it unlawful for anyone to hunt with the aid of bait “if the

person knows or reasonably should know that the area is a baited area.” The Service has incorporated this “knows or reasonably should know” standard in the baiting regulation to promote public understanding of the new law. As in the past, however, hunters are responsible for ensuring that no bait is present before they begin hunting. They should thoroughly inspect the field or marsh, question landowners and guides, and take other reasonable steps to verify the legality of their hunt.

Penalties

Legislators increased the maximum fine for hunting over bait from \$5,000 to \$15,000. They also made the placement of bait a violation of the Migratory Bird Treaty Act punishable by a fine up to \$100,000 for an individual or \$200,000 for an organization, a prison term of up to one year, or both. In the past, individuals who baited fields were charged with “aiding and abetting,” that is, helping someone else commit the crime of hunting over bait. They face stiffer penalties under the new law.

AVIAN INFLUENZA NEWS

Avian influenza or bird flu is a respiratory disease caused by a type A influenza virus. Avian influenza (AI) viruses commonly circulate in wild birds and usually do not cause sickness or death. Certain types of AI, however, can evolve into highly-pathogenic forms which can cause mass die-offs in domestic poultry. In December of 2014, highly-pathogenic AI (HPAI) was discovered during a wild duck mortality event in the state of Washington. Between December 2014 and June 2015, 16 HPAI positives were detected in wild birds in the Mississippi Flyway. However, between July 2015 and March 2016 only 2 unconfirmed positives were recorded in wild birds nationwide. As of this writing, no HPAI positives have been recorded in wild birds in Illinois. However, these viruses could circulate during this fall’s migration.

It is important to note that these forms of highly-pathogenic AI are not the same form as the Asian H5N1 strain which has caused human mortality in other parts of the world. Asian H5N1 **has not been** detected in North America. The Centers for Disease Control consider the risk to human health from these recent forms of AI to be **low**. No human infections with these forms of AI have been known to have occurred, however, similar viruses have infected people in the past and it’s possible that people can be infected with these viruses. For these reasons, it is important to consider the following safety guidelines.

Hunters should follow these routine precautions provided by the National Wildlife Health Center when handling game and their tissues or parts:

- a) Do not handle or eat sick game.
- b) Prepare game in a well-ventilated area.
- c) Wear rubber or disposable latex gloves while handling and cleaning game.
- d) Wash hands thoroughly with soap or disinfectant, clean knives, equipment, and surfaces that come in contact with game.
- e) Do not eat, drink, or smoke while handling animals.
- f) All game should be thoroughly cooked to an internal temperature of 165 degrees F.
- g) Additional guidance for hunters is provided by USDA APHIS at the following website:
http://www.aphis.usda.gov/publications/animal_health/2015/fsc_hpai_hunters.pdf

Hunters are also being asked to be vigilant for signs of waterbird (ducks, geese, herons, egrets, grebes, cormorants) mortality when hunting this fall. Please report mortality events involving 5 or more dead waterbirds and any waterbirds that show unusual behavior such as swimming in circles, moving the head in a “jerky” motion, and holding the head and neck in an unusual position. Please report any such events to IDNR, Doug Dufford, 815-369-2414; or USDA Wildlife Services, Dan Skinner, at 866-487-3297.

More information about AI and other wildlife diseases can be found at the National Wildlife Health Center’s website <http://www.nwhc.usgs.gov/> and the Centers for Disease Control website <http://www.cdc.gov/flu/avianflu/h5/index.htm>

SUNRISE–SUNSET TIME TABLE

The map and table provide Central Standard Time sunrise and sunset times by region from September through March.

Match month and date with the zone you hunt in and add the appropriate number of minutes for the sunrise/sunset time. These times have been adjusted to reflect the correct time on all dates, including Standard Time and Daylight Saving Time. This table is also available at www.dnr.illinois.gov/hunting.



SUNRISE–SUNSET TIME TABLE

	September		October		November		December		January		February		March	
Day	Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set
1	6:21	7:24	6:50	6:34	7:23	5:50	6:56	4:28	7:15	4:39	7:01	5:12	6:26	5:45
2	6:22	7:22	6:51	6:33	7:24	5:49	6:57	4:28	7:15	4:39	7:00	5:14	6:24	5:46
3	6:23	7:20	6:52	6:31	7:25	5:47	6:58	4:28	7:15	4:40	6:59	5:15	6:23	5:47
4	6:24	7:19	6:53	6:30	7:26	5:46	6:59	4:27	7:15	4:41	6:58	5:16	6:21	5:48
5	6:25	7:17	6:54	6:28	7:27	5:45	7:00	4:27	7:15	4:42	6:57	5:17	6:20	5:50
6	6:26	7:16	6:55	6:26	6:29	4:44	7:01	4:27	7:15	4:43	6:56	5:18	6:18	5:51
7	6:27	7:14	6:56	6:25	6:30	4:43	7:02	4:27	7:15	4:44	6:55	5:20	6:17	5:52
8	6:28	7:12	6:57	6:23	6:31	4:42	7:03	4:27	7:15	4:45	6:54	5:21	6:15	5:53
9	6:29	7:11	6:58	6:22	6:32	4:41	7:04	4:27	7:15	4:46	6:53	5:22	6:14	5:54
10	6:30	7:09	6:59	6:20	6:33	4:40	7:05	4:27	7:15	4:47	6:52	5:23	6:12	5:55
11	6:31	7:07	7:00	6:19	6:34	4:39	7:05	4:28	7:14	4:48	6:51	5:24	6:10	5:56
12	6:32	7:06	7:01	6:17	6:36	4:39	7:06	4:28	7:14	4:49	6:49	5:26	7:09	6:57
13	6:33	7:04	7:02	6:16	6:37	4:38	7:07	4:28	7:14	4:50	6:48	5:27	7:07	6:58
14	6:33	7:02	7:03	6:14	6:38	4:37	7:08	4:28	7:14	4:51	6:47	5:28	7:06	6:59
15	6:34	7:01	7:04	6:13	6:39	4:36	7:08	4:28	7:13	4:52	6:46	5:29	7:04	7:00
16	6:35	6:59	7:05	6:11	6:40	4:35	7:09	4:29	7:13	4:53	6:44	5:30	7:02	7:01
17	6:36	6:58	7:06	6:10	6:41	4:35	7:10	4:29	7:12	4:55	6:43	5:31	7:01	7:02
18	6:37	6:56	7:07	6:08	6:42	4:34	7:10	4:30	7:12	4:56	6:42	5:33	6:59	7:03
19	6:38	6:54	7:08	6:07	6:44	4:33	7:11	4:30	7:11	4:57	6:40	5:34	6:58	7:04
20	6:39	6:53	7:09	6:05	6:45	4:33	7:11	4:30	7:11	4:58	6:39	5:35	6:56	7:05
21	6:40	6:51	7:11	6:04	6:46	4:32	7:12	4:31	7:10	4:59	6:38	5:36	6:54	7:06
22	6:41	6:49	7:12	6:03	6:47	4:31	7:12	4:31	7:09	5:00	6:36	5:37	6:53	7:07
23	6:42	6:48	7:13	6:01	6:48	4:31	7:13	4:32	7:09	5:02	6:35	5:38	6:51	7:08
24	6:43	6:46	7:14	6:00	6:49	4:30	7:13	4:33	7:08	5:03	6:33	5:40	6:49	7:09
25	6:44	6:44	7:15	5:58	6:50	4:30	7:14	4:33	7:07	5:04	6:32	5:41	6:48	7:10
26	6:45	6:43	7:16	5:57	6:51	4:29	7:14	4:34	7:07	5:05	6:30	5:42	6:46	7:12
27	6:46	6:41	7:17	5:56	6:52	4:29	7:14	4:35	7:06	5:06	6:29	5:43	6:45	7:13
28	6:47	6:39	7:18	5:55	6:53	4:29	7:15	4:35	7:05	5:07	6:27	5:44	6:43	7:14
29	6:48	6:38	7:19	5:53	6:54	4:28	7:15	4:36	7:04	5:09			6:41	7:15
30	6:49	6:36	7:21	5:52	6:55	4:28	7:15	4:37	7:03	5:10			6:40	7:16
31			7:22	5:51			7:15	4:38	7:02	5:11			6:38	7:17

Source data for Champaign Illinois: http://aa.usno.navy.mil/data/docs/RS_OneYear.php. Times have been adjusted to reflect the correct time on all dates, including during Standard Time and Daylight Saving Time. Hunters and Trappers using these tables DO NOT NEED TO ADD OR SUBTRACT AN HOUR.

Contacting a Conservation Police Officer

The Department of Natural Resources' Office of Law Enforcement developed the "Target Illinois Poachers" program to encourage any concerned citizen who witnesses a poaching offense to report the violation. The toll-free number is 1-877-2DNRLAW (1-877-236-7529). Simply defined, "poaching" is the illegal taking or possession of game and non-game animals, fish or other resources. Hunting out of season and hunting at night with spotlights are two of the most obvious signs of poaching. Hunters and fishermen possessing more than the legal limit is another. Slow moving or partially hidden vehicles, shots heard at unusual hours or game being concealed are all suspect.

But there is another serious problem that affects everyone: pollution. DNR is teaming up with the Illinois Attorney General and the Illinois Environmental Protection Agency to investigate and bring to prosecution those who would intentionally pollute our land, water and air. If you are aware of improper dumping of discarded chemical or petroleum barrels or of any other potential environmental crime, please report it. If you locate an environmental hazard, keep a safe distance and call the TIP hotline with the details at 1-877-2DNRLAW (1-877-236-7529).

Remember good law enforcement is everybody's responsibility. If you see a violation, report it. **Let's Target Illinois' Poachers and Polluters!**

For a list of Illinois Conservation Police officers and contact information by county, follow this link: <http://www.dnr.illinois.gov/LawEnforcement/Documents/DistrictCPOPhonesAndEmails.pdf>

T.I.P.



Target Illinois

POACHERS

Call Toll-Free

1-877-2DNR-LAW

1-877-236-7529

Operates 24 hrs./day - 7 days/week.



The Department of Natural Resources is an Equal Opportunity Employer.

Ameritech Relay 1-800-526-0644 for the deaf and hearing impaired.

For all other requests for an Illinois Conservation Police Officer (CPO) after regular business hours, contact your Illinois State Police District HQ dispatch Center.



Equal opportunity to participate in programs of the Illinois Department of Natural Resources (IDNR) and those funded by the U.S. Fish and Wildlife Service and other agencies is available to all individuals regardless of race, sex, national origin, disability, age, religion or other non-merit factors. If you believe you have been discriminated against, contact the funding source's civil rights office and/or the Equal Employment Opportunity Officer, IDNR, One Natural Resource Way, Springfield, IL. 62702-1271; 217/785-0067; TTY 217/782-9175.

To order additional copies of this booklet, contact the DNR Clearinghouse at 217/782-7498 for assistance.

Distributed by the Illinois Department of Natural Resources, Division of Wildlife Resources, One Natural Resources Way, Springfield, IL 62702-1271, Telephone (217) 782-6384, TTY (217) 782-9175.

Printed by Authority of the State of Illinois • 115M-9/16 • IOCI 17-0115  • Printed on recycled and recyclable paperstock